


It is also recommended to use VitaFer Green 2-3 l/ha or VitaFer Algi 2-3 l/ha in emergency situations (after stress caused by frost, drought, hail, excessive soil moisture, etc.) in order to save crops (in all phases of development).



BBCH 10

BBCH 13

BBCH 41

BBCH 45

BBCH 49



## Fertilizing program of carrot and parsley

No. of the treatment	Growth stage	Product	No. of treatments	Dose l/ha
1	Leaf development 4-6 leaf unfolded (BBCH 14-16)	VitaFer Macro P	1	2-3
		VitaFer Extra Zn	1	2-3
		VitaFer Micro	1	0,5-1,5
2	Leaf development 7-9 leaf unfolded (BBCH 17-19)	VitaFer Macro P	1	2-3
		VitaFer Cu	1	2-3
		VitaFer Zn+B	1	2-3
3	10-20% of the expected head size reached (BBCH 41-42)	VitaFer Macro P	1	2-3
		VitaFer Cu	1	2-3
		VitaFer Macro K	1	2-3
4	30-50% of the expected head size reached (BBCH 43-45)	VitaFer S	1	3-5
		VitaFer Micro	1	0,5-1,5
		VitaFer Ca	1	3-5
		VitaFer Extra Zn	1	2-3
5	90-100% of the expected head size reached (BBCH 46-49)	VitaFer Macro K	1	2-3
		VitaFer Ca (or VitaFer EXTRA Ca)	1	3-5 (2-3)

It is also recommended to use VitaFer Green 2-3 l/ha or VitaFer Algi 2-3 l/ha in emergency situations (after stress caused by frost, drought, hail, excessive soil moisture, etc.) in order to save crops (in all phases of development).