



# Fertilization program of cucurbits (cucumber, pumpkin, melon, zucchini, watermelon, etc.)

VitaFer Macro  
1 x 2-3 l/ha

VitaFer Micro  
1 x 0,5-1,5 l/ha

+

VitaFer EXTRA Ca  
1 x 2-3 l/ha

VitaFer Macro K  
1 x 2-3 l/ha

+

VitaFer EXTRA Ca  
1 x 2-3 l/ha

VitaFer Macro K  
1 x 2-3 l/ha

It is also recommended to use VitaFer Green 2-3 l/ha or VitaFer Algi 2-3 l/ha in emergency situations (after stress caused by frost, drought, hail, excessive soil moisture, etc.) in order to save crops (in all phases of development).



BBCH 05-15

BBCH 16-21

BBCH 23-35

BBCH 36-40

BBCH 41-50

BBCH 51-59

BBCH 61-69

BBCH 71-75

Product	Dose l/ha	Number of treatments	Growth stage
VitaFer Macro	2-3	1	2-4 leaves unfolded
VitaFer Micro + VitaFer EXTRA Ca	0,5-1,5 + 2-3	1	First fruit set
VitaFer Macro K + VitaFer EXTRA Ca	2-3 + 2-3	1	Fruit enlargement
VitaFer Macro K	2-3	1	Maturation onset